

**SUPPLEMENTAL BID BULLETIN**

**Republic of the Philippines  
PHILIPPINE INTERNATIONAL CONVENTION CENTER  
PICC Complex, 1307 Pasay City  
BIDS AND AWARDS COMMITTEE (BAC)**

March 20, 2024

**SUPPLY, DELIVERY AND INSTALLATION OF UNINTERRUPTIBLE POWER  
SUPPLY (UPS) 3PHASE, 20Kva (SERVER)**

**ADDENDUM NO. 01**

This Addendum is issued to amend/revise certain provisions of the Bid Documents for the above-captioned procurement. Said amendments are as follows:

- I. Section V- Special Conditions of the Contract have been revised to read as follows:
- GCC Clause 2.2
    - Payment
    - Full Payment shall be processed within twenty (20) working days from the receipt **of the** invoice, subject to the usual accounting and auditing rules and regulations of the PICC.
  - GCC Clause 5
  - Warranty
    - The warranty period is one (1) year after acceptance by the PICC authorized representative of the project.

**The obligation for the warranty shall be covered by either retention money in an amount equivalent to five percent (5%) of the total contract price, or a special bank guarantee equivalent to five percent (5%) of the total contract price. (Note: GPPB RES NO. 30-2017).**

**The said amount shall be released after the lapse of the warranty period or after consumption thereof, provided, that the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met.**

- II. Section VI- Schedule of Requirements Technical Specifications have been revised to read as:
- Work shall be completed within **sixty (60)** calendar days from the receipt of the Notice to Proceed

III. Section VII- Technical Specifications have been revised to read as:

ITEM	SPECIFICATION	STATEMENT OF COMPLIANCE
SUPPLY, DELIVERY AND INSTALLATION OF UNINTERRUPTIBLE POWER SUPPLY (UPS), 3PHASE, 20KVA (SERVER)		
I. TECHNICAL FEATURES:		
	- Active power factor correction in all phases	
	- 50Hz/60Hz frequency converter mode	
	- ECO mode operation for energy saving	
	- Emergency power off function	
	- Generator compatible	
	- True On-line Double Conversion	
	- Front Panel LCD & LED Display	
	- DSP technology guarantees high performance	
	- Output power factor = 1	
	- SNMP card for remote monitoring	
	- Intelligent battery management extends battery life	
	- Built in Automatic & Manual Maintenance Bypass	
	- Parallel operation	
	- High efficiency up to 95%	
II. TECHNICAL SPECIFICATIONS		
QUANTITY	Two (2) units	
CAPACITY	20KVA / 20KW	
PHASE	3-phase in / 3-phase out	
PARALLEL CAPABILITY	Up to 4 units	
INPUT		
Nominal Voltage	3 x 400 VAC (3Ph+N+G)	
Input Voltage Range	+20%, -20%	
Frequency Range	46 to 64Hz	
Power Factor	0.99 @ 100% Load	
OUTPUT		
Output Voltage	380 / 400 / 415 VAC (3Ph+N+G)	
AC Voltage Regulation (Batt. Mode)	± 1%	
Current Crest Ration	3:1 (max)	
Harmonic Distortion	≤2% THD (Linear Load), ≤5% THD (Non Linear Load)	
Transfer Time	<b>AC to DC = Zero (0)</b> <b>Inverter to Bypass = Zero (0)</b>	
<b>EFFICIENCY</b>		
AC Mode	95%	
ECO Mode	98%	
Battery Mode	94%	

<b>BATTERY</b>		
Battery Type	<b>Valve Regulated Lead Acid (VRLA) Battery</b>	
Back-up time	<b>15 minutes @ 20kW load (provide battery computation)</b>	
Typical Recharge Time	9 Hours recover to 90% <b>battery</b> capacity	
<b>INDICATORS</b>		
LCD Panel	UPS status, Load Level, Battery Level, Input / Output voltage, Discharge Timer and Fault Conditions	
<b>WARRANTY</b>	<b>1 year from date of acceptance</b>	
<p><b>STATEMENT OF COMPLIANCE</b>  Bidders must state her either "Comply" or "Not Comply" against <b>each of the individual parameters of each Specification</b> stating the corresponding performance parameter of the equipment offered.</p>		

IV. Section VIII-Checklist of Technical and Financial Documents has been changed to read as:

- I. TECHNICAL COMPONENT ENVELOPE

- Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR; If any of the documents in Annex "A" **has** expired, the updated document shall be submitted during post-qualification;

The corrected copies are attached. Bidders are advised to replace their original copies with the corrected copies.

For guidance and information of all concerned.

  
**MELPIN A. GONZAGA**  
Chairman

Received by:

\_\_\_\_\_  
(Signature over printed name)

Telephone/Fax No. \_\_\_\_\_

Date: \_\_\_\_\_

Name of Company: \_\_\_\_\_

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	
I	Supply, Delivery and Installation of Uninterruptible Power Supply (UPS), 3Phase, 20kVA (SERVER)	Work shall be completed within <i>sixty (60)</i> calendar days from the receipt of the Notice to Proceed

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

\_\_\_\_\_  
Name of Company / Bidder

\_\_\_\_\_  
Signature over printed Name of Authorized Representative

\_\_\_\_\_  
Position

\_\_\_\_\_  
Date

## Special Conditions of Contract

GCC Clause									
1	The Procuring Entity is <i>The Philippine International Convention Center (PICC)</i>								
2.2	<p>Payment</p> <p style="text-align: center;">Full Payment shall be processed within twenty (20) working days from the receipt <i>of the</i> invoice, subject to the usual accounting and auditing rules and regulations of the PICC.</p>								
3	<p>Performance Security</p> <p>Within ten (10) calendar days from receipt of the Notice of Award, but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the following forms:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Form of Performance Security</th> <th style="text-align: center;">Amount of Performance Security (Equal to Percentage of the Total Contract Price)</th> </tr> </thead> <tbody> <tr> <td>Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank.</td> <td style="text-align: center;">Five percent (5%)</td> </tr> <tr> <td>Bank draft/guarantee issued by a Universal or Commercial Bank</td> <td style="text-align: center;">Five percent (5%)</td> </tr> <tr> <td>Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.</td> <td style="text-align: center;">Thirty percent (30%)</td> </tr> </tbody> </table>	Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)	Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank.	Five percent (5%)	Bank draft/guarantee issued by a Universal or Commercial Bank	Five percent (5%)	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)
Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)								
Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank.	Five percent (5%)								
Bank draft/guarantee issued by a Universal or Commercial Bank	Five percent (5%)								
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)								
5	<p>Warranty</p> <p>The warranty period is one (1) year after acceptance by the PICC authorized representative of the project.</p> <p><i>The obligation of the warranty shall be covered by either retention money in an amount equivalent to five percent (5%) of the total contract price, or a special bank guarantee equivalent to five percent (5%) of the total contract price (Note: GPPB RES NO. 30-2017)</i></p> <p><i>The said amount shall be release after the lapse of the warranty period or after consumption thereof, provided, that the supplies delivered are free from patent and latent defects and all conditions imposed under the contract have been fully met</i></p>								
6	The period for correction of defects is seven (7) calendar days upon receipt of notice from PICC project-in-charge.								

# Technical Specifications

Item	Specification	Statement of Compliance
<b>SUPPLY, DELIVERY AND INSTALLATION OF UNINTERRUPTIBLE POWER SUPPLY (UPS), 3PHASE, 20kVA (SERVER)</b>		
<b>I. TECHNICAL FEATURES:</b>		
<ul style="list-style-type: none"> <li>- Active power factor correction in all phases</li> <li>- 50Hz/60Hz frequency converter mode</li> <li>- ECO mode operation for energy saving</li> <li>- Emergency power off function</li> <li>- Generator compatible</li> <li>- True On-line double-conversion</li> <li>- Front Panel LCD &amp; LED Display</li> <li>- DSP technology guarantees high performance</li> <li>- Output power factor - 1</li> <li>- SNMP card for remote monitoring</li> <li>- Intelligent battery management extends battery life</li> <li>- Built in Automatic &amp; Manual Maintenance Bypass</li> <li>- Parallel operation</li> <li>- High Efficiency up to 95%</li> </ul>		
<b>II. TECHNICAL SPECIFICATIONS:</b>		
<b>Quantity</b>	<i>Two (2) units</i>	
<b>CAPACITY</b>	<i>20KVA / 20KW</i>	
<b>PHASE</b>	<i>3-phase in /3phase out</i>	
<b>PARALLEL CAPABILITY</b>	<i>Up to 4 units</i>	
<b>INPUT</b>		
Nominal Voltage	<i>3 x 400 VAC (3Ph+N+G)</i>	
Input Voltage Range	<i>+20%, -20%</i>	
Frequency Range	<i>46 to 64Hz</i>	
Power Factor	<i>0.99 @ 100% Load</i>	
<b>OUTPUT</b>		
Output Voltage	<i>/380/400/415 VAC (3Ph+N+G)</i>	
AC Voltage Regulation (Batt. Mode)	<i>± 1%</i>	
Current Crest Ration	<i>3:1 (max)</i>	
Harmonic Distortion	<i>≤ 2% THD (Linear Load), ≤ 5% THD (Non Linear Load)</i>	

Transfer Time	<i>AC to DC – Zero (0)</i>	
	<i>Inverter to Bypass – Zero (0)</i>	
<b>EFFICIENCY</b>		
AC Mode	95 %	
ECO Mode	98 %	
Battery Mode	94 %	
<b>BATTERY</b>		
Battery Type	<i>Valve Regulated Lead Acid (VRLA) Battery</i>	
Back up time	<i>15 minutes @20Kw load (provide battery Computation</i>	
Typical Recharge Time	9 Hours recover to 90% capacity	
<b>INDICATORS</b>		
LCD Panel	UPS status, Load Level, Battery Level, Input / Output voltage, Discharge Timer and Fault Conditions	
<b>WARRANTY</b>	<i>1 year from date of acceptance</i>	
<p><b>STATEMENT OF COMPLIANCE</b></p> <p><i>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.</i></p>		

*Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.*

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class "A" Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR. *If any of the documents in Annex "A" has expired, the updated document shall be submitted during post-qualification;*

#### Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (Annex "A"); **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (Section "B"); **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration (Annex C"); **and**
- (e) Conformity with the Technical Specifications (Section VII-signed on each and every page), which includes production/delivery schedule, manpower requirements, and/or after-sales/parts (Section VI), if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder (Annex "D").

#### Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (Annex "E") or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

### *Class "B" Documents*

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

## II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form;

#### Other documentary requirements under RA No. 9184 (as applicable)

- (j) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (k) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.