## AGREEMENT

KNOW ALL MEN BY THESE PRES
----------------------------

This Agreement, entered into this \_\_\_\_\_ day of \_\_\_\_\_ 2024, in the City of Pasay, Philippines, by and between:

# PHILIPPINE INTERNATIONAL CONVENTION CENTER

INC., a government corporation created and existing by authority of Presidential Decree No. 520 dated July 23, 1974, as amended by Presidential Decree No. 710 with principal office at the PICC Complex, 1307 Pasay City, represented herein by its General Manager, RENATO B. PADILLA, hereinafter referred to as "PICCI".

and



PRIMEGOODS TRADING AND ELECTRICAL SUPPLY COMPANY, a corporation duly organized and existing under the laws of the Republic of the Philippines with office address at 38-1 Caimito Road, Brgy. 79, University Hills, Caloocan City and represented herein by its General Manager, BENJAMIN A. OLLETA Jr., duly authorized for the purpose, hereinafter referred to as "SUPPLIER".

## WITNESSETH: That-

WHEREAS, PICCI, through its Bids and Awards Committee (BAC), invited Bids for the Supply and Delivery of Various Electrical and Electronics Supplies, Parts and Materials (Lot II – Lighting Materials) and has accepted an offer from the SUPPLIER in the sum of THREE MILLION ONE HUNDRED SIXTY-THREE THOUSAND TWO HUNDRED TWENTY PESOS (\$\Prigot\)3,163,220.00), VAT Inclusive;

WHEREAS, the PICCI Management has approved the award of the said procurement to the SUPPLIER, which offered the lowest calculated and responsive offer;

Item No.	Qty.	Unit	Article /Description	Unit Price	Total Amount
LIGH					
1	102	рс	LED Solar lighting, 100 watts, lithium battery, aluminum alloy & ABS housing with acrylic cover, 6000-6500K, IP65, 6-8 hours charging time minimum of 50,000 burning hours luminous flux: 1000lm visual angle: 120 degrees installation height: 5-6 meters light space: 16-18 meters working time: 10 hours @ full power/ 24 hours @ half power,	10,500.00	1,071,000.00
2	180	рс	LED Sloar garden Lighting, minimum of 2 watts Solar panel: 5V/2W Battery: 3.7V/1200mAh lithium battery	1,450.00	261,000.00
3	120	рс	LED PAR30, min. of 11watts, 230V, 60Hz, warm white, dimmable, E27, at least 30 deg beam angle with at least CE certification	1,250.00	150,000.00

		<del></del>				
LED bulb, minimum of 12 watts, daylight, e27, 230VAC, at least 80 CRI, minimum of 20000 burning hours CB & RoHS certified LED bulb, minimum of 12 watts, warm white, e27, 230VAC, at least 80 CRI, minimum of 20000 burning hours CB & RoHS certified LED bulb, minimum of 20000 burning hours CB & RoHS certified LED bulb, minimum of 20000 burning hours CB & RoHS certified LED bulb, minimum of 20000 burning hours CB & RoHS certified LED bulb, minimum of 20000 burning hours CB & RoHS certified LED bulb, minimum of 20000 burning hours CB & RoHS certified LED bulb, minimum of 20000 burning hours CB & RoHS certified LED bulb, dimmable, 2-3 watts, 230VAC, at least 270 degrees beam angle, warm white (2700K), not less than 80 CRI, E27 screw type, clear poly carbonated cover, 48-52mm cover diameter, 100% altimum fin type heat sink, 50,000 burning hours, UL or ETL certified Dimmable function: Triac dimmable(must passed with the actual testing without flicker in our existing dimmer) Warranty: 3-years LED Rectangular Downlight Slider, at least 30,000 9,280.00 leading the part of 3000lm, 230VAC 320.00 leading the part of 3000lm, 230VAC 320VAC, 32	4	100	pc		1,495.00	149,500.00
6   953   pc   e27, 230 WC, at least 80 CRI, minimum of 2000 Durning hours CE & RoHS certified     7   10   pc   LED PAR Light, COB, min. of 200 watts, with 200m IN/OUT, warm white, 2 or 3 DMX channel, 50000 burning hours CE & RoHS certified     8   LED Round bulb, dimmable, 2-3 watts, 230 WAC, at least 270 degrees beam angle, warm white (2700 K), not less than 80 CRI, E27 screw type, clear poly carbonated cover, 48-52 mm cover diameter, 100% aluminum fin type heat sink, 50,000 burning hours, UL or ETL certified     9   30   pc   LED Rottangular Downlight Slider, at least 300, min. of 3000 lm, 230 VAC     10   29   pc   LED Square Downlight, tiltable, min. of 7 watts, daylight, 220 VAC, 90mm Ø x   475.00   23,750.00     11   50   pc   Recessed LED downlight, tiltable, min. of 7 watts, daylight, 220 VAC, 90mm Ø x   475.00   23,750.00     11   50   pc   LED Square Downlight, tiltable, min. of 7 watts, daylight, 220 VAC, 90mm Ø x   475.00   23,750.00     12   896   pc   Color Temp: Daylight   Diffuser: Frosted poly carbonated cover   Min. lifetime: 5000 hours   Min. flux: 100 lm   Offer brand must be Rosh and UL/ETL   approved   LED Floodlight with heat sink, min. of 400 watts, 100-240 VAC, 3000 K, min. of 48000 lumens, CRL 280, 60 degrees beam   angle, 1865, min. of 30000 burning hours   LED uplight, in-ground, round, min. of 18000 lumens, CRL 280, 60 degrees beam   angle, 1865, min. of 30000 burning hours   LED Strip lights, \$MD3528 Yellow, indoor, weatherproof, 1767   LED Strip lights, \$MD3528 Yellow, indoor, weatherproof, 1767   LED Strip lights, \$MD3528 Yellow, indoor, weatherproof, 1767   LED Driver, Input: 170-259VAC, 0.6 to 0.840, Output: 12VDC, 6.67A, 80 watts   carbon watts, 2200, daylight, \$MD LED   carbon logy, CE and ROHS compliant   carbon watts, 2200, daylight, \$MD LED   carbon logy, CE and ROHS compliant   carbon watts, 2200, daylight, \$MD LED   carbon logy, CE and ROHS compliant   carbon watts, 2200, daylight, \$MD LED   carbon logy, CE and ROHS compliant   carbon watts, 2200, daylight, \$MD LED	5	1295	pc	LED bulb, minimum of 12 watts, daylight, e27, 230VAC, at least 80 CRI, minimum of	120.00	155,400.00
To   Dec   LED PAR Light, COB, min. of 200watts, with common   C	6	953	рс	e27, 230VAC, at least 80 CRI, minimum of	120.00	114,360.00
230VAC, at least 270 degrees beam angle, warm white (2700K), not less than 80 CRI, E27 screw type, clear poly carbonated cover, 48-52mm cover diameter, 100% aluminum fin type heat sink, 50,000 burning bours, UL or ETL certified Dimmable function: Triac dimmable(must passed with the actual testing without flicker in our existing dimmer)   9	7	10	рс	LED PAR Light, COB, min. of 200watts, with zoom IN/OUT, warm white, 2 or 3 DMX	18,500.00	185,000.00
10   29   pc   LED Square Downlight, 12watts, 220VAC   320.00   9,280.00	8	450	рс	230VAC, at least 270 degrees beam angle, warm white (2700K), not less than 80 CRI, E27 screw type, clear poly carbonated cover, 48-52mm cover diameter, 100% aluminum fin type heat sink, 50,000 burning hours, UL or ETL certified Dimmable function: Triac dimmable(must passed with the actual testing without flicker in our existing dimmer) Warranty: 3-years	450.00	202,500.00
10   29   pc   LED Square Downlight, 12watts, 220VAC   320.00   9,280.00	9	30	рс	LED Rectangular Downlight Slider, at least 30W, min. of 3000lm, 230VAC	5,050.00	151,500.00
11   50   pc   watts, daylight, 220VAC, 90mm Ø x   475.00   23,750.00	10	29	рс	LED Square Downlight, 12watts, 220VAC	320.00	9,280.00
Length: 1.2m   Input voltage: 220V (without ballast)   Beam angle: at least 180 degrees   color Temp.: Daylight   Diffuser: Frosted poly carbonated cover   Min. lifetime: 50000 hours   Min. flux: 100 lm   Offer brand must be Rosh and UL/ETL   approved   LED Floodlight with heat sink, min. of   400watts, 100-240VAC, 3000K, min. of   48000 lumens, CRI ≥80, 60 degrees beam   angle, IP65, min. of 30000 burning hours   LED uplight, in-ground, round, min. of   18watts, warm white, 220VAC,   weatherproof, IP67   LED strip lights, SMD3528 Yellow, indoor, 8mm wide 2mm, 12VDC, 14.4 watts per   meter, 5m/roll,   LED Driver, Input: 170-259VAC, 0.6 to   0.8A, Output: 12VDC, 6.67A, 80 watts   (min)   LED Step/Foot Light with Motion sensor   760.00   25,080.00   18   60   pc   LED Step/Foot Light with Motion sensor   760.00   25,080.00   19   55   pc   Starting Capacitor for 400W High Pressure   1,790.00   17,595.00	11	50	рс	watts, daylight, 220VAC, 90mm Ø x	475.00	23,750.00
13       31       pc       LED Floodlight with heat sink, min. of 400watts, 100-240VAC, 3000K, min. of 48000 lumens, CRI ≥80, 60 degrees beam angle, IP65, min. of 30000 burning hours       7,500.00       232,500.00         14       25       pc       LED uplight, in-ground, round, min. of 18watts, warm white, 220VAC, weatherproof, IP67       3,500.00       87,500.00         15       10       roll ED strip lights, SMD3528 Yellow, indoor, 8mm wide 2mm, 12VDC, 14.4 watts per meter, 5m/roll,       1,720.00       17,200.00         16       10       pc       0.8A, Output: 170-259VAC, 0.6 to 0.8A, Output: 12VDC, 6.67A, 80 watts (min)       2,250.00       22,500.00         17       33       pc       LED Step/Foot Light with Motion sensor       760.00       25,080.00         18       60       pc       LED Slim Panel Type Lighting, at least 36 watts, 220V, daylight, SMD LED technology, CE and ROHS compliant       1,595.00       95,700.00         19       55       pc       Starting Capacitor for 400W High Pressure       550.00       550.00	12	896	pc	Length: 1.2m Input voltage: 220V (without ballast) Beam angle: at least 180 degrees color Temp.: Daylight Diffuser: Frosted poly carbonated cover Min. lifetime: 50000 hours Min. flux: 100 lm Offer brand must be Rosh and UL/ETL	200.00	179,200.00
14       25       pc       18watts, warm white, 220VAC, weatherproof, IP67       3,500.00       87,500.00         15       10       roll       LED strip lights, SMD3528 Yellow, indoor, 8mm wide 2mm, 12VDC, 14.4 watts per meter, 5m/roll,       1,720.00       17,200.00         16       10       pc       0.8A, Output: 170-259VAC, 0.6 to 0.8A, Output: 12VDC, 6.67A, 80 watts (min)       2,250.00       22,500.00         17       33       pc       LED Step/Foot Light with Motion sensor 760.00       25,080.00         18       60       pc       LED Slim Panel Type Lighting, at least 36 watts, 220V, daylight, SMD LED technology, CE and ROHS compliant       1,595.00       95,700.00         19       55       pc       Starting Capacitor for 400W High Pressure       550.00       550.00	13	31	рс	LED Floodlight with heat sink, min. of 400watts, 100-240VAC, 3000K, min. of 48000 lumens, CRI ≥ 0, 60 degrees beam angle, IP65, min. of 30000 burning hours	7,500.00	232,500.00
15       10       roll       8mm wide 2mm, 12VDC, 14.4 watts per meter, 5m/roll,       1,720.00       17,200.00         16       10       pc       LED Driver, Input: 170-259VAC, 0.6 to 0.8A, Output: 12VDC, 6.67A, 80 watts (min)       2,250.00       22,500.00         17       33       pc       LED Step/Foot Light with Motion sensor 760.00       25,080.00         18       60       pc       watts, 220V, daylight, SMD LED technology, CE and ROHS compliant       1,595.00       95,700.00         19       55       pc       Starting Capacitor for 400W High Pressure       550.00       550.00	14	25	рс	18watts, warm white, 220VAC,	3,500.00	87,500.00
16       10       pc       0.8A, Output: 12VDC, 6.67A, 80 watts (min)       2,250.00       22,500.00         17       33       pc       LED Step/Foot Light with Motion sensor       760.00       25,080.00         18       60       pc       LED Slim Panel Type Lighting, at least 36 watts, 220V, daylight, SMD LED technology, CE and ROHS compliant       1,595.00       95,700.00         19       55       pc       Starting Capacitor for 400W High Pressure       550.00       550.00	15	10	roll	8mm wide 2mm, 12VDC, 14.4 watts per	1,720.00	17,200.00
18 60 pc LED Slim Panel Type Lighting, at least 36 watts, 220V, daylight, SMD LED 1,595.00 95,700.00 technology, CE and ROHS compliant  Starting Capacitor for 400W High Pressure			рс	0.8A, Output: 12VDC, 6.67A, 80 watts	2,250.00	22,500.00
LED Slim Panel Type Lighting, at least 36 watts, 220V, daylight, SMD LED 1,595.00 95,700.00 technology, CE and ROHS compliant  Starting Capacitor for 400W High Pressure	17	33	рс	LED Step/Foot Light with Motion sensor	760.00	25,080.00
19 55 pc Starting Capacitor for 400W High Pressure	18	60	рс	LED Slim Panel Type Lighting, at least 36 watts, 220V, daylight, SMD LED technology, CE and ROHS compliant	1,595.00	
	19	55	рс	Starting Capacitor for 400W High Pressure	550.00	30,250.00





# NOW THEREFORE, the parties hereby agree and covenant as follows:

In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Special Conditions of Contract and in the Technical Specification of the bid documents;

The following documents shall be deemed to form and be read and construed as part of this Agreement, viz:

- a. The Bid Proposal Form submitted on May 7, 2024;
- b. Eligibility, Technical, Financial Documents and Post Qualification Documents;
- c. Section VI Schedule of Requirements;
- d. Section VII Technical Specifications:
- e. Section III Bid Data Sheet;
- f. Section IV General Conditions of Contract;
- g. Section V Special Conditions of Contract;
- h. Performance Security; and
- i. Notice of Award.

In consideration of the payments to be made by the PICCI to the SUPPLIER as hereinafter mentioned, the SUPPLIER hereby covenants with the PICCI to undertake the completion of the delivery in accordance with the Schedule of Requirements, and to remedy defects therein in conformity in all respects with the provisions of the Contract;

The PICCI hereby covenants to pay the SUPPLIER in consideration of the completion of the delivery and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS WHEREOF, the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines, on the day and year first above written.

PHILIPPINE INTERNATIONAL CONVENTION CENTER, INC. (PICCI)

PRIMEGOODS TADING AND ELECTRICAL SUPPLY CO. (SUPPLIER)

Ву:

RENATIO B. PADILLA General Manager By:

BENJAMINA. OLLETA JR. General Manager

SIGNED IN THE PRESENCE OF:

PERCIVAL M. SALONGA

ANA LIZA B. OLLETA

## ACKNOWLEDGEMENT

REPUBLIC OF THE PHI	LIPPINES)
PASAY CITY	) S.S.
X	X
BEFORE ME a N	otary Public for and in the

BEFORE ME, a Notary Public, for and in the City of Pasay, personally appeared:

RENATO B. PADILLA, in his capacity as General Manager, PICCI, with PICC TIN 001-114-766 and BENJAMIN A. OLLETA JR., in his capacity as General Manager, PRIMEGOODS TRADING ELECTRICAL SUPPLY CO., with his TIN 900-272-599, both known to me and to me known to be the same persons who executed the foregoing Agreement consisting of two (2) pages including this page where the acknowledgement is written signed on each and every pages thereof by the parties and their witnesses; other attachments enumerated on page one (1) of this Agreement are considered part and parcel of this document; the parties further acknowledged to me that the same are their free acts and voluntary

2023, in Pasay City, Philippines.

Doc. No. A79
Book No. 70
Page No. XV
Series of 2023 / 2024

'David S. Eñano, Jr.

NOTARY PUBLIC

UNTIL DECEMBER 31, 2024 FTR NO. 0555607 D, 01-02-24,Q.C.

IBP NO. 506085/ 02-16-23, Q.C.

**ROLL NO. 33613** 

MCLE NO. VI-0016834 / 4-15-2022 to 4-14-2025